

GENERAL SPECIFICATIONS

Hardy & Bancroft

FEATURES INCLUDED IN A NEW HOME

- 9'(+/-) Ceilings on the First Floor (plan applicable)
- Formal Dining Room with 2 Pc Crown Molding (plan applicable)
- 2 ½ Baths
- Direct Vent Gas Fireplace (plan applicable)
- LP Heat and Hot Water
- Tankless Rinnai Hot Water Heater
- 95% Efficiency FHA Furnace
- 2 Zone System (excludes ranch plans)
- Central Air Conditioning
- Upgraded Insulation Package
- Double Low-E Windows
- Hardwood in Foyer & Dining Room (plan applicable)
- Whirlpool Range, Dishwasher and Over the Range Microwave
- Recessed Lights
- 10 Phone/Cable Locations (total combined)
- Ice Maker Line
- Raised Panel Maple Cabinets throughout
- Walk-In Closets
- 200 Amps Electrical Service
- Private Well
- Private Septic
- 2 Car Garage
- 10 x 12 Pressure Treated Deck
- Landscape Package

NOTE: These specifications may vary slightly from community to community. Our specifications and floor plans are designed to maximize living space and add features that are generally offered only by Custom Home Builders.

Builder reserves the right to make minor changes to the plans or specifications for the betterment or completion of the final structure.

Prices and specifications can, at the discretion of the builder, change without notice prior to a signed contract.

GENERAL SPECIFICATIONS

Hardy & Bancroft

GENERAL SPECIFICATIONS

Note: optional upgrades for various items are offered through LaMontagne Builders Design Center

FRAMING

- All exterior walls will be 2' x 6" construction with 7/16" OSB
- ¾" Tongue-and-groove OSB subfloor glued and nailed throughout. Additional underlayment will be installed under tile and vinyl flooring.
- Foam Insulation header over windows/door openings as well as 1st & 2nd floor rim box

SIDING

- Vinyl siding will be installed with wide, fluted corners to enhance the homes appearance
- Vinyl shutters will be installed on all front elevation windows
- House wrap will be installed to conditioned areas (heated living areas) only with seams taped. Brand of house wrap will be determined by the builder.

FOUNDATIONS

- 8" thick concrete foundation walls with
- rebar reinforcements in footings and walls
- Water proofing installed prior to back fill
- Interior and exterior perimeter drains

ROOFING

- 40 Year architectural shingles will be installed as standard
- A three foot (3') course of ICE shield will be installed at eaves and valleys
- Continuous venting will be installed at ridge and eaves
- 5/8" OSB sheathing on roof with 15# felt paper

SITWORK

- A landscape package including shrubs and bark mulch will be installed in front of foundation, Tree(s) in front yard (species and location determined by builder, number may vary), and lawn to be hydroseeded.
- Poured concrete front stairs

DRIVEWAY

- Driveway will have a gravel base with base coat and finish coat asphalt

PASSIVE RADON PIPE

- Location will be field determined by the builder

GENERAL SPECIFICATIONS

Hardy & Bancroft

GENERAL SPECIFICATIONS

DECK

- One (1) 10' x 12' pressure treated deck (location per plan). Painting, staining, or sealing to be done by buyer after closing.
- Stairs to grade (location will be field determined)

WINDOWS

- Insulated, Double Low E
- Tilt-out, double hung, vinyl windows with a 12 over 12 sculptured grill pattern
- Grills are between the glass
- Full screens are provided for all operable windows

INSULATION

- Fiberglass 6" insulation in walls (R-21) & R-38 in living area ceilings
- R-30 in basement ceiling depending on house plan
- All insulation packages meet New Hampshire Energy Code
- Windows are sealed with spray in foam
- 1" foam headers and rim box

INTERIOR DOORS AND TRIM

- Six (6) panel wood grain, hollow core doors
- Nickel lever handles
- 2 - Piece Crown Molding in Dining Room (plan applicable)
- 5 1/2" Speedbase Baseboard
- 3 1/2" Casing on Windows and Doors
- Oak Newel Post & Rail with white balusters

EXTERIOR DOORS

- All exterior doors will be insulated metal, front door is Fiberglass
- Pediments or sunburst (where plans allow) over the entry door
- Dead bolt lock will be provided on the front door only

FLOORING

- 3/4" Red Oak Hardwood Flooring in Foyer & Dining Room with two (2) Coats of Polyurethane (plan applicable)
- Shaw® wall to wall carpet and Tarkett® vinyl floors are professionally installed throughout the balance of the home

GENERAL SPECIFICATIONS

Hardy & Bancroft

GENERAL SPECIFICATIONS

INTERIOR WALLS AND CEILINGS

- Sheetrock walls and ceilings with tape and three (3) coats of Joint Compound (Only as needed per code, basement stairs and garages will have tape and one (1) coat of Joint Compound)
- Ceilings to have textured finish, Random Roll is standard
- 1st floor ceilings are 9' (+/-) and 2nd floor ceilings are 8' (+/-)

PAINTING

- Interior walls: Sherwin Williams Pro Mar 200 Latex Dover White, flat finish
- Interior Trim: Sherwin Williams Cashmere Med Lustre
- Exterior doors: Buyers choice of white or match to the shutter color on front door only, all other doors will be white, including the garage doors

APPLIANCES

- All appliances are Whirlpool. Builder supplies: electric range, dishwasher (Energy Star) and over the range microwave.

PLUMBING

- Private Well
- Private Septic
- All fixtures by Kohler/Sterling and washer less, low-flow faucets by Moen. PEX used for all pressure lines. PVC will be used for all drain lines.
 - Fixtures:
 - Laundry:
 - Washer and electric dryer hook-up
 - Kitchen:
 - Stainless steel double bowl sink with faucet
 - Ice maker line to refrigerator
 - Baths:
 - 16" oval china, self-rimming, sink
 - 5' fiberglass showers in master bath (plan applicable)
 - 5' Fiberglass tub/shower combinations in main bath
 - Outside:
 - One frost free faucet in front and one in rear of home

GENERAL SPECIFICATIONS

Hardy & Bancroft

GENERAL SPECIFICATIONS

LIGHTING FIXTURES

- Hanging light fixtures in foyer, dining room (plan applicable)
- Recessed lights will be installed on 1st floor only (count varies per plan)
 - NOTE: No recessed lights installed on 2nd
- One (1) exterior floodlight is included over the garage door

HEATING AND HOT WATER

- 2 Zone Forced hot air heating system (ranch plan excluded)
- 95% Efficiency Trane Furnace
- Central Air Conditioning
- Rinnai Tankless water heater
- LP – Propane Gas – 500 Gallon Buried Tank

CABINETS

- Kitchen and bathrooms: Shaker Maple doors
- Corner cabinets with Lazy Susan (where plan design allows)
- Glass door in upper corner cabinet (where plan design allows)
- A 30" upper cabinet height is standard
- Laminate counter tops in a wide range of colors

ELECTRICAL

- A standard 200 AMP service with circuit breakers
- Additional blank spaces will be available in order to allow buyer expansion for basement or garage
- All interior and exterior electrical per building code
- Mechanical vent (fan) in all baths
- Electric Energy Star rated Bathroom fan in Master Bath
- Two (2) exterior GFCI receptacles – one in front of home and one in the rear of home, installed per code (locations are per code)
- Pre-wire for 10 (total) CAT 5 telephone jacks or cable locations
- Smoke detectors as required by code (hardwired with battery backup)
- Carbon monoxide detectors by bedrooms and as per code (hardwired with battery backup)

GARAGE DOORS

- Insulated
- Raised panel design
- Pre-wired for openers